

# SST-Drop™ Toneable Cables 1-12 Fibers

A LANscape® Solutions Product

Corning  
Cable Systems


## Description

SST-Drop™ Cables offer the ease of installation of standard ALTOS® Cable in an easy-access single-tube design. Ideally suited for low-cost subscriber drop applications, the toneable version of the SST-Drop Cable allows for easy detection of the buried cable. The copper portion may be easily separated by hand.


Optical drop cables are intended primarily for operation in the last portion of an all-optical network, as in fiber-to-the-home (FTTH) or fiber-to-the-business (FTTB) networks, bridging the space between the distribution network and the subscriber premises. The subscriber premises in this case is a residential property or small- to medium-sized business located in a facility that can be serviced by an optical cable having 12 fibers or less. Most applications will only require drop cables with one to four fibers. Typical drop cable distances are 100 m or less.

## Features / Benefits

- Direct-buried or duct installation only
- Works with industry-standard wedge clamps
- Available in preconnectorized assemblies
- Standard ALTOS Cable buffer tube in an easy-access stranded single-tube design
  - Standard craft practices
  - Standard hardware compatibility
- Exceptional crush resistance
- Copper portion allows for easy detection in underground installations



SST-Drop Dielectric Cables | Drawing ZA-2752



Cross-Section View of SST-Drop Cable | Drawing ZA-2753

